ELSEVIER

Mechanisms of Development 65 (1997) 225

Volume contents

Volume 65 (1997)

Issue contents 1

L. Wu, H. Wu, F. Sangiorgi, N. Wu, J.R. Bell, G.E. Lyons, R. Maxson
Miz1, a novel zinc finger transcription factor that interacts with Msx2 and enhances its affinity for DNA 3

Z. Ursuliak, J.C. Clemens, J.E. Dixon, J.V. Price
Differential accumulation of *DPTP61F* alternative transcripts: regulation of a protein tyrosine phosphatase by segmentation genes 19

T. Seitanidou, S. Schneider-Maunoury, C. Desmarquet, D.G. Wilkinson, P. Charnay
Krox-20 is a key regulator of rhombomere-specific gene expression in the developing hindbrain 31

M. Bielinska, D.B. Wilson
Induction of yolk sac endoderm in GATA-4-deficient embryoid bodies by retinoic acid 43

P.R. Hoyt, C. Bartholomew, A.J. Davis, K. Yutzey, L.W. Gamer, S.S. Potter, J.N. Ihle, M.L. Mucenski
The *Evi1* proto-oncogene is required at midgestation for neural, heart, and paraxial mesenchyme development 55

E. Bonnelye, J.M. Vanacker, N. Spruyt, S. Alric, B. Fournier, X. Desbiens, V. Laudet
Expression of the estrogen-related receptor 1 (ERR-1) orphan receptor during mouse development 71

W.W. Branford, G.-Q. Zhao, M.T. Valerius, M. Weinstein, E.H. Birkenmeier, L.B. Rowe, S.S. Potter
Spx1, a novel X-linked homeobox gene expressed during spermatogenesis 87

H. Miura, M. Yanazawa, K. Kato, K. Kitamura
Expression of a novel *aristaless* related homeobox gene '*Arx*' in the vertebrate telencephalon, diencephalon and floor plate 99

A. Eichmann, A. Grapin-Botton, L. Kelly, T. Graf, N.M. Le Douarin, M. Sieweke
The expression pattern of the *mafB/kr* gene in birds and mice reveals that the *kreisler* phenotype does not represent a null mutant 111

D. Houzelstein, A. Cohen, M.E. Buckingham, B. Robert
Insertional mutation of the mouse *Msx1* homeobox gene by an *nlacZ reporter gene* 123

M.G. Riparbelli, W.G.F. Whitfield, R. Dallai, G. Callaini
Assembly of the zygotic centrosome in the fertilized *Drosophila* egg 135

C. Tribioli, M. Frasch, T. Lufkin
Bapx1: an evolutionary conserved homologue of the *Drosophila bagpipe* homeobox gene is expressed in splanchnic mesoderm and the embryonic skeleton 145

S. Bruneau, P. Mourrain, F.M. Rosa
Expression of *contact*, a new zebrafish DVR member, marks mesenchymal cell lineages in the developing pectoral fins and head and is regulated by retinoic acid 163

S. Sawai, J.A. Campos-Ortega
A zebrafish Id homologue and its pattern of expression during embryogenesis 175

M. Artinger, I. Blitz, K. Inoue, U. Tran, K.W.Y. Cho
Interaction of *goosecoid* and *brachyury* in *Xenopus* mesoderm patterning 187

L.L. Dobens, T. Hsu, V. Twombly, W.M. Gelbart, L.A. Raftery, F.C. Kafatos
The *Drosophila bunched* gene is a homologue of the growth factor stimulated mammalian TSC-22 sequence and is required during oogenesis 197

B.J. Brizuela, J.A. Kennison
The *Drosophila* homeotic gene *moira* regulates expression of *engrailed* and HOM genes in imaginal tissues 209

Author index 221

Subject index 223

Volume contents 225

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved